AD-A215 082 FATION PAGE

Form Approved OME No. 0704-0188

5510 rapintoji tanti 10511 ra	1382, and to the Office of Managament and	ntormetion. Send comments repideuerters Services, Directorate (c Budget, Paparwerk Reduction Pro	HOCE (\$784-9188), Westungson. OC 29983.
I. AGENCY USE ONLY (Leave blank) 2. REPORT DATE May 84	3. REPORT TYPE AN Interim (5	D DATES COVERED /15/81-5/14/82
TITLE AND SUSTITLE			S. FUNDING NUMBERS
NTERIM SCIENTIFIC REP 15 MAY 1981-14 MAY 19	•	0171,	
an vine vivianies			61102F
Frederick Bloom			2304/A4
PERFORMING ORGANIZATION NA University of South C			8. PERFORMING ORGANIZATION REPORT NUMBER
Dept of Mathematics & Columbia SC 29208	Statistics	APOSR.	ne. 89-1485
SPONSORING/MONITORING AGE AFOSR	NCY NAME(S) AND ADDRESS(ES	,	19. SPONSORING / MONITORING AGENCY REPORT NUMBER
BLDG 410 BAFB DC 20332-6448	ŧ		AFOSR-81-0171
1. SUPPLEMENTARY NOTES			<u> </u>
	040040	:	12b. DISTRIBUTION CODE
2a. DISTRIBUTION / AVAILABILITY S			128. Distribution Code
Approm distri	ed for public release; bution unlimited.		
•			
damped nonlinear evol fields in nonlinear d "Nonexistence of smoo development in a half	sed on and produced ution equation, ho ielectrics, I infini th electromagnetic f	nexistence of si te cylindrical d ields in nonlind	following titles: *On a mooth electromagnetic dielectrics, * and ear dielectrics, II shock are contained in the repo
4. SUBJECT TERMS			15. NUMBER OF PAGES
			16. PRICE COOL
17' SECURITY CLASSIFICATION [A. SECURITY CLASSIFICATION	T19. SECURITY CLASSIF	
OF REPORT	OF THIS PAGE	OF ABSTRACT	
unclassified	unclassified	<u> </u>	

NSN 7540-01-280-5500

Northern Illinois University DeKalb, Illinois 60115-2888

Department of Mathematical Sciences 815 753 0567

COPY

May 14, 1984

FROM: Professor Frederick Bloom

TO: AFOSR

Bolling, AFB DC 20332

RE: Interim Scientific Report

AFOSR-81-0171

15 May 1981 - 14 May 1982

Accesion For				
NTIS CRA&I DTIC TAB Ununnounced Justification		000		
By				
Availability Codes				
Dist	Avail and for Special			
A-/				

During the period 15 May 1981 - 14 May 1982 the principal investigator was on leave from the University of South Carolina. The Fall semester 1981 was spent at the University of Connecticut while the Spring and Summer of 1982 were spent at the University of Maryland. The focus of our work in the Fall of 1981 was the damped nonlinear evolution equation $w_{tt} = \sigma(w)_{xx} - \gamma w_{t}$,

an equation which arises in several areas of applied mathematics and, in particular, in studies of shearing flows in a nonlinear viscoelastic fluid. A summary of results obtained on existence and nonexistence of solutions for initial-boundary value problems associated with this equation may be found in the attached abstract #1. In the spring and summer of 1982 our work centered on a study of shock formulation for intense plane electromagnetic waves propagating into infinite cylindrical dielectrics and nonlinear dielectirc half-spaces; summaries of this work may be found in the attached abstracts #2 and #3. While at the University of Maryland we also initiated joint work with Professor Stuart Antman on the equilibrium states of nonlinearlyelastic current bearing wires which are placed in an ambient magnetic field and are subjected to the type of self-interactive force that results from an application of the Biot-Savart law. Particular interest is centered on the branching that may occur, from one equilibrium configuration to another, when the parameter λ = IB is varied through a countable set of discrete values, where I is the constant current in the wire and B is the strength of the ambient magnetic field. This work is ongoing and the existence of straight, plane circular, and wiggly states in the plane which oscillate about a torus, has already been established.

Approved for public release; distribution unlimited.

Furb Bloom

a breamy

On the Damped Nonlinear Evolution Equation

$$w_{tt} = \sigma(w)_{xx} - \gamma w_{t}$$

ру

Frederick Bloom

Department of Mathematics and Statistics
University of South Carolina
Columbia, SC 29208
and
School of Mathematics
University of Minnesota
Minneapolis, MN 55419

ABSTRACT

Initial boundary value problems for the damped nonlinear wave equation $w_{tt} = \sigma(w)_{xx} - w_t$ arise in several areas of applied mathematics and, in particular, in studies of shearing flow in a nonlinear viscoelastic fluid; the problems of global existence and nonexistence of smooth solutions have been extensively studied in the strictly hyperbolic case $\sigma'(\delta) \ge \epsilon > 0$, $\forall \delta \in \mathbb{R}^2$ as well as in the case where $\sigma'(0) > 0$ and the initial data are chosen so small that $\sigma'(w) > 0$ for as long as a smooth solution w(x,t) exists. In this paper we study the global nonexistence problem for the cases $\sigma'(0) = 0$ and $\sigma'(0) > 0$ but $\sigma'(\delta) < 0$ for $|\delta|$ sufficiently large and derive growth estimates which are valid on the maximal interval of existence of a sufficiently smooth solution.

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (APSC)
NOTICE OF TRANSMITTAL TO DTIC
This technical moonth has been reviewed and is
approved to a continuous TAWAFR 190-12.
Distribution of malimited.
MATTHEW J. Marker
Chief, Technical Information Division

Nonexistence of Smooth Electromagnetic Fields in Nonlinear Dielectrics

I. Infinite Cylindrical Dielectrics

Frederick Bloom

Department of Mathematical Sciences Northern Illinois University DeKalb, Illinois 60115

ABSTRACT

Coupled nonlinear wave equations are derived for the evolution of the components of the electric induction field \underline{D} in a class of rigid nonlinear dielectrics governed by the nonlinear constitutive relation $\underline{E} = \lambda(\underline{D})\underline{D}$, where \underline{E} is the electric field and $\lambda > 0$ is a scalar-valued vector function. For the special case of an infinite one-dimensional dielectric rod, it is shown that, under relatively mild conditions on λ , solutions of the corresponding initial value problem for the electric induction field can not exist globally in time in the L_2 sense if it is assumed that the electric field in the rod is perpendicular to the axis of the rod and varies with the coordinate along that axis. The results hold when the electromagnetic field in the rod has compact support. Growth estimates for solutions, which are valid on the maximal time-interval of existence are also derived; these are valid in the simple but physically important case where $\lambda(\underline{D}) = \lambda_1 + \lambda_0 ||\underline{D}||^2$. We also discuss relations with recent work on the phenomena of self-focusing and self-trapping for high intensity laser beams in a dielectric medium.

Nonexistence of Smooth Electromagnetic Fields in Nonlinear Dielectrics II. Shock Development in a Half-Space

Frederick Bloom

Department of Mathematical Sciences

Northern Illinois University

DeKalb, Illinois 60115

Abstract

Implications of the Rankine-Hugoniot and Lax k-shock conditions are explored for a systems of hyperbolic conservation laws associated with the propagation of an intense plane wave into an isotropic nonlinear dielectric half-space. Asymptotic estimates are obtained for both $t_{\rm max}$ and $s_{\rm max}$, respectively, the time elapsed and distance travelled by the wave into the half-space before shock development occurs.